

End-of-Life and Discontinued Product Announcement



Select Raritan PX3 1000 Series Rack PDUs

December 8, 2025

Legrand® announces the End-of-Life (EOL) and discontinuation of select Raritan® part numbers, listed in Table 1 below. Our team of power experts is ready to help you find an alternative or comparable Raritan product that best fits your needs.

Announcement Milestones

December 8, 2025	End-of-Life Announcement (EOLA) is the public notification date that commences the announcement that a product has been discontinued.
June 15, 2026	End of Sale/Last Order Date (EOS) is the last date to buy a product, order a new service contract, or add a product to an existing support contract. Thereafter, products and services are removed from all price lists.
June 15, 2026	End of New Contract Renewal Date (ENC) is the last date to order a new or extend an existing service or warranty contract.
June 15, 2028	End of Service Life (EOSL) is considered the final end-of-life milestone. It's the last date to receive service for the affected product(s) under a service contract or by warranty terms and conditions.

Table 1: Part Number(s) Affected by This Announcement

End-of-Life Part Number	Suggested Replacement	
	Part Number	Description
PX3-1066	Contact us for assistance.	
PX3-1080V-E2Q1	PX4-1057-E7	PX4, 1PH, 230V, 32A, 36 Outlets: 18 x Locking C13, 18 x Locking Cx, Input: IEC 60309 2P+E 32A, 0U, 7.4kVA, 2 x 10kAIC breakers, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port
PX3-1080V-E2Q1K2	PX4-1057-E7	PX4, 1PH, 230V, 32A, 36 Outlets: 18 x Locking C13, 18 x Locking Cx, Input: IEC 60309 2P+E 32A, 0U, 7.4kVA, 2 x 10kAIC breakers, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port
PX3-1080V-E2Q1K6	PX4-1057-E7	PX4, 1PH, 230V, 32A, 36 Outlets: 18 x Locking C13, 18 x Locking Cx, Input: IEC 60309 2P+E 32A, 0U, 7.4kVA, 2 x 10kAIC breakers, Input Metered, iX controller with 2 x

End-of-Life Part Number	Suggested Replacement	
	Part Number	Description
		10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port
PX3-1080V-E2Q1K7	PX4-1057-E7	PX4, 1PH, 230V, 32A, 36 Outlets: 18 x Locking C13, 18 x Locking Cx, Input: IEC 60309 2P+E 32A, 0U, 7.4kVA, 2 x 10kAIC breakers, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port
PX3-1104-N1V2	Contact us for assistance.	
PX3-1135U-E2N1Q2V2	Contact us for assistance.	
PX3-1135U-E2N1Q2V2K7	Contact us for assistance.	
PX3-1144U-E2H4N1A2C5	Contact us for assistance.	
PX3-1144U-E2H4N1A2C5K7	Contact us for assistance.	
PX3-1144U-E2H4N1C5	Contact us for assistance.	
PX3-1173U-N1Q1V2	Contact us for assistance.	
PX3-1190R-M11	Contact us for assistance.	
PX3-1206R-K1	PX4-1840R-E8	PX4, 1PH, 200-240V, 32A ; 12 outlets: 12 x HDOT Cx, plug: IEC 60309 2P+E 6h 32A, 7.7kVA; Input Metered, 1U horizontal PDU, SecureLock ready, High resolution LCD display, iX, USB-A, USB-B and sensor connections
PX3-1206R-K2	PX4-1840R-E8	PX4, 1PH, 200-240V, 32A ; 12 outlets: 12 x HDOT Cx, plug: IEC 60309 2P+E 6h 32A, 7.7kVA; Input Metered, 1U horizontal PDU, SecureLock ready, High resolution LCD display, iX, USB-A, USB-B and sensor connections
PX3-1206R-K6	PX4-1840R-E8	PX4, 1PH, 200-240V, 32A ; 12 outlets: 12 x HDOT Cx, plug: IEC 60309 2P+E 6h 32A, 7.7kVA; Input Metered, 1U horizontal PDU, SecureLock ready, High resolution LCD display, iX, USB-A, USB-B and sensor connections
PX3-1389	Contact us for assistance.	
PX3-1394NU	Contact us for assistance.	
PX3-1440R	PX4-14A0CR-C8E8A0	PX4, 1PH, 100-240V, 20A (16A/PH rated); 24 outlets: 18 x C13, 6 x HDOT Cx, Input: IEC 60320 C20 Inlet, no cord, 1.6-3.8kVA; Input Metered, 2U horizontal PDU, SecureLock ready, High resolution LCD display, iX, USB-A, USB-B and sensor connections
PX3-1440R-K1	PX4-14A0CR-C8E8A0	PX4, 1PH, 100-240V, 20A (16A/PH rated); 24 outlets: 18 x C13, 6 x HDOT Cx, Input: IEC 60320 C20 Inlet, no cord, 1.6-3.8kVA; Input Metered, 2U horizontal PDU, SecureLock ready, High resolution LCD display, iX, USB-A, USB-B and sensor connections

End-of-Life Part Number	Suggested Replacement	
	Part Number	Description
PX3-1440R-K2	PX4-14A0CR-C8E8A0	PX4, 1PH, 100-240V, 20A (16A/PH rated); 24 outlets: 18 x C13, 6 x HDOT Cx, Input: IEC 60320 C20 Inlet, no cord, 1.6-3.8kVA; Input Metered, 2U horizontal PDU, SecureLock ready, High resolution LCD display, iX, USB-A, USB-B and sensor connections
PX3-1445V-Q1	Contact us for assistance.	
PX3-1476V	PX4-13A8C-C8E7A0	PX4, 1PH, 100-240V, 16A, 24 Outlets: 12 x Locking C13, 12 x Locking Cx, Input: IEC 60320 C20 Inlet, no cord, 0U, 1.6-3.8kVA, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port
PX3-1476V-K1	PX4-13A8C-C8E7A0	PX4, 1PH, 100-240V, 16A, 24 Outlets: 12 x Locking C13, 12 x Locking Cx, Input: IEC 60320 C20 Inlet, no cord, 0U, 1.6-3.8kVA, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port
PX3-1476V-K2	PX4-13A8C-C8E7A0	PX4, 1PH, 100-240V, 16A, 24 Outlets: 12 x Locking C13, 12 x Locking Cx, Input: IEC 60320 C20 Inlet, no cord, 0U, 1.6-3.8kVA, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port
PX3-1486NU	Contact us for assistance.	
PX3-1486NU-A7K1	Contact us for assistance.	
PX3-1486NU-A7K2	Contact us for assistance.	
PX3-1488V-M11	PX4-13A8C-C8E7M27A0	PX4, 1PH, 100-240V, 16A, 24 Outlets: 12 x Locking C13, 12 x Locking Cx, Input: IEC 60320 C20 Inlet, no cord, 0U, 1.6-3.8kVA, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port, RCM B
PX3-1488V-M11K1	PX4-13A8C-C8E7M27A0	PX4, 1PH, 100-240V, 16A, 24 Outlets: 12 x Locking C13, 12 x Locking Cx, Input: IEC 60320 C20 Inlet, no cord, 0U, 1.6-3.8kVA, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port, RCM B
PX3-1488V-M11K2	PX4-13A8C-C8E7M27A0	PX4, 1PH, 100-240V, 16A, 24 Outlets: 12 x Locking C13, 12 x Locking Cx, Input: IEC 60320 C20 Inlet, no cord, 0U, 1.6-3.8kVA, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port, RCM B
PX3-1488XV	Contact us for assistance.	
PX3-1488XV-K1	Contact us for assistance.	
PX3-1525V-E2	PX4-1548-E7	PX4, 3PH, 208V, 30A (derated to 24A), 24 Outlets: 12 x Locking C13, 12 x Locking Cx, Input: NEMA L15-30P, 0U,

End-of-Life Part Number	Suggested Replacement	
	Part Number	Description
		8.6kVA, 3 x 10kAIC breakers, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port
PX3-1525V-E2K1	PX4-1548-E7	PX4, 3PH, 208V, 30A (derated to 24A), 24 Outlets: 12 x Locking C13, 12 x Locking Cx, Input: NEMA L15-30P, 0U, 8.6kVA, 3 x 10kAIC breakers, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port
PX3-1525V-E2K2	PX4-1548-E7	PX4, 3PH, 208V, 30A (derated to 24A), 24 Outlets: 12 x Locking C13, 12 x Locking Cx, Input: NEMA L15-30P, 0U, 8.6kVA, 3 x 10kAIC breakers, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port
PX3-1599R	Contact us for assistance.	
PX3-1599R-K1	Contact us for assistance.	
PX3-1599R-K2	Contact us for assistance.	
PX3-1722N-V2	Contact us for assistance.	
PX3-1722N-V2A17	Contact us for assistance.	
PX3-1722N-V2K1	Contact us for assistance.	
PX3-1722N-V2K2	Contact us for assistance.	
PX3-1722N-V2K5	Contact us for assistance.	
PX3-1722NV-M5V2	Contact us for assistance.	
PX3-1722NV-M5V2A6	Contact us for assistance.	
PX3-1722NV-M5V2A6K1	Contact us for assistance.	
PX3-1722V-M18V2	PX4-1699-E7M28V2	PX4, 3PH, 400V, 32A, 36 Outlets: 18 x Locking C13, 18 x Locking HDOT Cx, Input: IEC 60309 3P+N+E, 0U, 22.1kVA, 6 x 10kAIC breakers, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port, RCM-B
PX3-1722V-M18V2A6	PX4-1699-E7M28V2	PX4, 3PH, 400V, 32A, 36 Outlets: 18 x Locking C13, 18 x Locking HDOT Cx, Input: IEC 60309 3P+N+E, 0U, 22.1kVA, 6 x 10kAIC breakers, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port, RCM-B
PX3-1722V-M18V2A6K1	PX4-1699-E7M28V2	PX4, 3PH, 400V, 32A, 36 Outlets: 18 x Locking C13, 18 x Locking HDOT Cx, Input: IEC 60309 3P+N+E, 0U, 22.1kVA, 6 x 10kAIC breakers, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port, RCM-B
PX3-1724U	Contact us for assistance.	

End-of-Life Part Number	Suggested Replacement	
	Part Number	Description
PX3-1732-E2M5	Contact us for assistance.	
PX3-1732-E2M5A8K501	Contact us for assistance.	
PX3-1732-E2M5A8K601	Contact us for assistance.	
PX3-1732-E2M5K1	Contact us for assistance.	
PX3-1732-E2M5K301	Contact us for assistance.	
PX3-1732-E2M5K501	Contact us for assistance.	
PX3-1732-E2M5K601	Contact us for assistance.	
PX3-1732NV-M18	Contact us for assistance.	
PX3-1732NV-M18K1	Contact us for assistance.	
PX3-1732V-F5M11	Contact us for assistance.	
PX3-1732V-F5M11K1	Contact us for assistance.	
PX3-1751V-F8	Contact us for assistance.	
PX3-1751V-F8K1	Contact us for assistance.	
PX3-1751V-F8K2	Contact us for assistance.	
PX3-1765-E2N1V2	Contact us for assistance.	
PX3-1765-E2N1V2K1	Contact us for assistance.	
PX3-1765-E2N1V2K2	Contact us for assistance.	
PX3-1771V	Contact us for assistance.	
PX3-1786X-V2	Contact us for assistance.	
PX3-1786X-V2K1	Contact us for assistance.	
PX3-1786X-V2K2	Contact us for assistance.	
PX3-1842U	Contact us for assistance.	
PX3-1842U-K1	Contact us for assistance.	
PX3-1842U-K2	Contact us for assistance.	
PX3-1843R-F12M11	Contact us for assistance.	
PX3-1843R-F12M11K1	Contact us for assistance.	
PX3-1843R-F12M11K2	Contact us for assistance.	
PX3-1847A2-E2N1	Contact us for assistance.	
PX3-1847A2-E2N1K501	Contact us for assistance.	
PX3-1847A2-E2N1K9	Contact us for assistance.	
PX3-1859V-E4A4K1	Contact us for assistance.	
PX3-1859V-E4A4K2	Contact us for assistance.	

End-of-Life Part Number	Suggested Replacement	
	Part Number	Description
PX3-1859V-E4K701	Contact us for assistance.	
PX3-1859V-E5	Contact us for assistance.	
PX3-1859V-E5A4K1	Contact us for assistance.	
PX3-1859V-E5A4K2	Contact us for assistance.	
PX3-1872U-E2P1Q1V2	Contact us for assistance.	
PX3-1872U-E2P1Q1V2A8	Contact us for assistance.	
PX3-1893R	Contact us for assistance.	
PX3-1909U-E2V2	Contact us for assistance.	
PX3-1909U-E2V2K7	Contact us for assistance.	
PX3-1909U-N2P1V2	Contact us for assistance.	
PX3-1909U-N2P1V2A16K1	Contact us for assistance.	
PX3-1909U-N2P1V2A16K2	Contact us for assistance.	
PX3-1966V-M11	Contact us for assistance.	
PX3-1972-C5	Contact us for assistance.	
PX3-1976I3-V2	PX4-132AI3-E7V2	PX4, 3PH, 208V, 60A (derated to 48A), 36 Outlets: 18 x Locking C13, 18 x Locking Cx, Input: IEC 60309 3P+N+ E 60A, 0U, 17.3kVA, 6 x 10kAIC breakers, Input Metered, iX controller with 2 x 10/100/1000 ETH port, 2 x USB-A, 1 x USB-B, RJ-45 Sensor and PDU Link port
PX3-1976U-V2	Contact us for assistance.	
PX3-1976U-V2K1	Contact us for assistance.	
PX3-1976U-V2K701	Contact us for assistance.	
PX3-1995I2U	Contact us for assistance.	
PX3-1995I2U-A1	Contact us for assistance.	

Your Next Steps

We recommend following these steps to ensure you do what is best for your operations.

- Contact us to walk you through the process: call **800-724-8090** or **732-764-8886** and select 1 for Sales.
- Download the [discontinued Raritan part numbers list](#) to determine if an affected product/model in its end-of-life is in active use in your operations.
- Review your existing service contract terms to understand the [remaining coverage](#).
- Search the [Raritan PDU Product Selector](#) to find an alternative or comparable Raritan product – filter the Metering & Switching field on “PDU Metered”, or contact your Raritan [sales representative](#), as a direct replacement product is often available.
- Breathe easy knowing that you will have [expert support](#) to help you during your transition to an alternative or comparable Raritan product offering.
- Opt in to [Support Notifications](#) and keep on top of future Raritan rack power distribution and rack management end-of-life announcements, the availability of firmware updates, and other critical product-related support updates.
- To learn more about our End-of-Life Policies for Raritan power distribution and rack management products, please visit Raritan.com/power-eol.